·	Hits	Search Text	DB	Time stamp
Number	nics	Search lext	DB	Time Stamp
-	3	8307353.pn.	USPAT;	2003/01/12
			DERWENT;	18:31
	1022	(725/131-132,135-141,151-153).ccls.	IBM_TDB USPAT;	2002/07/23
_	1022	(/25/131-132,135-141,151-153).CCIS.	DERWENT;	20:07
			IBM TDB	20.07
_	222	(725/131-132,135-141,151-153).ccls. and	USPAT;	2002/07/23
		(application\$1 same broadcast\$3)	DERWENT;	20:08
			IBM_TDB	
-	98	(725/131-132,135-141,151-153).ccls. and (application\$1 same broadcast\$3 same	USPAT; DERWENT;	2002/07/23
		(transmit\$3 or send\$3 or deliver\$4))	IBM TDB	20:10
l _	11	(725/131-132,135-141,151-153).ccls. and	USPAT;	2002/07/23
		((interactive near2 application\$1) same	DERWENT;	21:03
		broadcast\$3 same (transmit\$3 or send\$3 or	IBM_TDB	
		deliver\$4))		2222/27/22
-	98	((725/131-132,135-141,151-153).ccls. and (application\$1 same broadcast\$3 same	USPAT;	2002/07/23
		(transmit\$3 or send\$3 or deliver\$4))) and	DERWENT; IBM TDB	20:13
		(@ad<=19990802 or @rlad<=19990802)	12155	
-	11	((725/131-132,135-141,151-153).ccls. and	USPAT;	2002/07/23
		((interactive near2 application\$1) same	DERWENT;	21:32
		broadcast\$3 same (transmit\$3 or send\$3 or deliver\$4))) and (@ad<=19990802 or	IBM_TDB	
		deliver347/) and (dad<-19990802 of		
_	6	= /	USPAT	2002/07/23
İ		"5566174" "5986690" "6240555").PN.		20:24
-	6		USPAT	2002/07/23
 _	1	"5798785" "5875475" "5905847").PN. 6067107.URPN.	HCDAM	20:54
-	_	606/10/.ORPN.	USPAT	2002/07/23
-	851	(375/240,240.25).ccls.	USPAT;	2002/07/23
			DERWENT;	21:08
	_	(705/4)	IBM_TDB	
_	3	(725/\$).ccls. and ((interactive near2 (module\$1 or software or component\$1 or	USPAT; DERWENT;	2002/07/24 16:29
1		application(\$1)) same (convert(\$3 or	IBM TDB	10.29
		conform\$3) same (broadcast\$3 same		
		(transmit\$3 or deliver\$4 or send\$3)))		
-	2	((375/240,240.25).ccls.) and	USPAT;	2002/07/23
		((interactive near2 (module\$1 or software or component\$1 or application\$1)) and	DERWENT;	21:18
		((convert\$3 or transform\$3) same	IBM_TDB	
		(compatible or conform\$3)))		
-	16	((interactive near2 (module\$1 or software	USPAT;	2003/01/10
		or component\$1 or application\$1)) same	DERWENT;	16:22
		<pre>(convert\$3 or transform\$3 or translat\$3 or chang\$3 or edit\$4)same (conform\$3 or</pre>	IBM_TDB	
		compatible))		
-	589	725/103,114,133,136,138,141,144,153.ccls.	USPAT;	2002/07/23
			DERWENT;	21:32
_	440	705/100 114 100 106 100 141 144 150	IBM_TDB	2002/07/22
-	440	725/103,114,133,136,138,141,144,153.ccls. and application\$1	USPAT; DERWENT;	2002/07/23 21:32
		and application of	IBM TDB	21.34
-	50	725/103,114,133,136,138,141,144,153.ccls.	USPAT;	2002/07/23
		and (interactive near2 application\$1)	DERWENT;	21:37
_	F 0	/725/102 114 122 126 120 141 144 152	IBM_TDB	2002/07/24
-	50	(725/103,114,133,136,138,141,144,153.ccls. and (interactive near2 application\$1))	USPAT; DERWENT;	2002/07/24 13:42
		and (@ad<=19990802 or @rlad<=19990802)	IBM TDB	13.74
-	16	725/103,114,133,136,138,141,144,153.ccls.	USPAT;	2002/07/23
[and (interactive near2 application\$1) and	DERWENT;	21:39
		((convert\$3 or transform\$3 or	IBM_TDB	
		translat\$4)same (compatible or conform\$3 or adapt\$4))	ĺ	
-	40	(real\$1time near2 application\$1) same	USPAT;	2002/07/24
		game\$1	DERWENT;	13:26
			IBM_TDB	

_	34	((real\$1time near2 application\$1) same	USPAT;	2002/07/24
		game\$1) and (@ad<=19990802 or	DERWENT;	16:31
	1	@rlad<=19990802)	IBM TDB	
-	31	(725/32,136).ccls. and ((interactive	USPAT;	2002/07/24
		near5 (module\$1 or software or	DERWENT;	16:39
		component\$1 or application\$1 or	IBM_TDB	
		program\$1)))		
-	30	((725/32,136).ccls. and ((interactive	USPAT;	2002/07/24
		near5 (module\$1 or software or	DERWENT;	16:32
		component\$1 or application\$1 or	IBM_TDB	
		program\$1)))) and (@ad<=19990802 or		
 _	10	@rlad<=19990802) ((725/32,136).ccls. and ((interactive	USPAT;	2002/07/24
-	10	near5 (module\$1 or software or	DERWENT;	16:42
	1	component\$1 or application\$1 or	IBM TDB	10.12
		program\$1)))) and (@ad<=19990802 or	12122	
		@rlad<=19990802) and (real\$1time)		
_	165	((725/\$).ccls. and ((interactive near5	USPAT;	2002/07/24
		(module\$1 or software or component\$1 or	DERWENT;	16:51
		application \$1 or program \$1)))) and	IBM TDB	
		real\$1time	_	
-	10	((725/\$).ccls. and ((interactive near5	USPAT;	2002/07/24
	1	(module\$1 or software or component\$1 or	DERWENT;	16:41
	1	application\$1 or program\$1)))) and	IBM_TDB	
		(real\$1time same game\$1)		
-	9	((. = +) () + + + + + + + + + + + + + + + + + +	USPAT;	2002/07/24
		(module\$1 or software or component\$1 or	DERWENT;	16:41
	1	application \$1 or program \$1)))) and	IBM_TDB	
		(real\$1time same game\$1)) not		
		(((725/32,136).ccls. and ((interactive		
		near5 (module\$1 or software or component\$1 or application\$1 or		
	1	program\$1)))) and (@ad<=19990802 or		
		Orlad<=19990802) and (real\$1time))		
_	9	((((725/\$).ccls. and ((interactive near5	USPAT;	2002/07/24
		(module\$1 or software or component\$1 or	DERWENT;	16:42
		application \$1 or program \$1)))) and	IBM TDB	1
		(real\$1time same game\$1)) not	-	
		(((725/32,136).ccls. and ((interactive		
		near5 (module\$1 or software or		
		component\$1 or application\$1 or		1
	•	program\$1)))) and (@ad<=19990802 or	ì	
		@rlad<=19990802) and (real\$1time))) and		
	161	(@ad<=19990802 or @rlad<=19990802) (((725/\$).ccls. and ((interactive near5	USPAT;	2002/07/24
-	161	(module\$1 or software or component\$1 or	· ·	, ,
	1	application \$1 or program \$1)))) and	DERWENT; IBM TDB	16:57
		real\$1time) and (@ad<=19990802 or	12.1-12.2	
		@rlad<=19990802)		
-	164		USPAT;	2002/07/24
		(module\$1 or software or component\$1 or	DERWENT;	16:53
		application \$1 or program \$1)))) and	IBM_TDB	
1		real\$1time and (stor\$3 or sav\$3)	_	
-	78	((725/\$).ccls. and ((interactive near5	USPAT;	2002/07/24
		(module\$1 or software or component\$1 or	DERWENT;	16:55
]	application \$1 or program \$1)))) and	IBM_TDB	
		(real\$1time same(stor\$3 or sav\$3))	110000	2002/07/24
1-	77	(((725/\$).ccls. and ((interactive near5	USPAT;	2002/07/24
1		(module\$1 or software or component\$1 or	DERWENT;	16:54
1	1	application\$1 or program\$1)))) and (real\$1time same(stor\$3 or sav\$3))) and	IBM_TDB	
1		(@ad<=19990802 or @rlad<=19990802)		
_	8	((725/\$).ccls. and (((interactive near5	USPAT;	2002/07/24
1		(module\$1 or software or component\$1 or	DERWENT;	16:55
		application\$1 or program\$1)))) same	IBM TDB	-3.00
		(real\$1time same(stor\$3 or sav\$3)))		
-	7	(((725/\$).ccls. and (((interactive near5	USPAT;	2002/07/24
	1	(module\$1 or software or component\$1 or	DERWENT;	16:57
]	application\$1 or program\$1)))) same	IBM_TDB	
		(real\$1time same(stor\$3 or sav\$3)))) and		
L		(@ad<=19990802 or @rlad<=19990802)		1

•				
-	4	("5689799" or "5848352").pn.	USPAT; DERWENT;	2002/07/24 18:25
			IBM TDB	
-	2	("6198509").pn.	USPAT;	2002/07/24
		,	DERWENT;	18:25
			IBM TDB	
_	4	("4965825" "5353121" "5532754"	USPAT	2002/07/24
	1	"5585866").PN.	OSIAI	18:26
_	2	5734413.pn.	USPAT;	2002/07/24
-		5/54415.pm.	DERWENT;	19:58
				19.50
	60	/UD-20507U U2005(52U U2245157U	IBM_TDB	2002/07/24
-	68	("Re28507" "3095653" "3245157"	USPAT	2002/07/24
		"3359655" "3378937" "3546791"		18:53
		"3606688" "3641685" "3671668"		
		"3777410" "3789136" "3810627"		
		"3819862" "3824334" "3858212"		
		"3909002" "3909818" "3936595"		
		"3987397" "3990012" "4025851"		
		"4034990" "4044380" "4052798"		
		"4054911" "4114141" "4115846"		
		"4141548" "4174517" "4194198" "4222422" "426422" "4266214"		
		"4228422" "4264924" "4266214" "4236321" "423273656" "42373656"		
		"4326221" "4339798" "4372558" "4327271" "45725700" "4572072"		
		"4387271" "4572509" "4573072"		
		"4592546" "4593904" "4608601"		
		"4609358" "4652998" "4745468" "4706005" "40072031" "4745468"		
		"4786985" "4807031" "4847698" "4076503" "4010775" "4010516"		
1		"4876592" "4910775" "4918516"		
•		"4926255" "4956709" "4977455"		
		"5013038" "5034807" "5057915" "5073931" "5083800" "5093718"		
		"5093921" "5120076" "5128752"		
		3093921 3120076 3120732 "5136644" "5227874" "5249044"		
		"5283734" "5297205").PN.		
_	8	5734413.URPN.	USPAT	2002/07/24
		3/34413.0KPN.	USPAI	18:59
1_	1	6067107.pn. and (real\$1time or 'real	USPAT;	2002/07/25
	1	time')	DERWENT;	10:23
		cinc /	IBM TDB	10.23
_	1	5734413.pn. and (real\$1time or 'real	USPAT;	2002/07/24
1	_	time')	DERWENT;	22:40
		ormo /	IBM TDB	22.10
_	1296	(interrogat\$3 or check\$3) with	USPAT;	2002/07/25
	1230	(download\$)	DERWENT;	09:23
		(downtoddy)	IBM TDB	03.23
Í _	100	((interrogat\$3 or check\$3) with	USPAT;	2002/07/25
	1	(download\$)) and ((conform\$3 or adapt\$3 or	DERWENT;	09:33
İ		compatible) with (transmission\$1 or	IBM TDB	
		mechanism\$3))		
-	3	(((interrogat\$3 or check\$3) with	USPAT;	2002/07/25
		(download\$)) and ((conform\$3 or adapt\$3 or	DERWENT;	09:32
		compatible) with (transmission\$1 or	IBM TDB	
		mechanism\$3))) and 725/\$.ccls.		
-	100	(((interrogat\$3 or check\$3) with	USPAT;	2002/07/25
		(download\$)) and ((conform\$3 or adapt\$3 or	DERWENT;	09:32
		compatible) with (transmission\$1 or	IBM TDB	
		mechanism\$3))) and (application\$1 or	_	1
		software\$1 or module\$1 or program\$1)		
_	20	(((interrogat\$3 or check\$3) with	USPAT;	2002/07/25
		(download\$))and ((conform\$3 or adapt\$3 or	DERWENT;	10:05
		compatible) with (transmission\$1 or	IBM_TDB	
		mechanism\$3)))same (application\$1 or		
		software\$1 or module\$1 or program\$1)]
-	1	(((interrogat\$3) with download\$)same	USPAT;	2002/07/25
		(application\$1 or software\$1 or module\$1	DERWENT;	10:08
		or program\$1)) and 725/\$.ccls.	IBM_TDB	
-	8	(((interrogat\$3) with	USPĀT;	2002/07/25
		(download\$))and((conform\$3 or adapt\$3 or	DERWENT;	10:08
		compatible) with (transmission\$1 or	IBM_TDB	
		mechanism\$3)))same (application\$1 or		
	1	software\$1 or module\$1 or program\$1)		1

• '				
_	58	((interrogat\$3) with download\$)same (application\$1 or software\$1 or module\$1	USPAT; DERWENT;	2002/07/25 10:09
-	0	or program\$1) 6067107.pn. and (download\$3 or sav\$3)	IBM_TDB USPAT; DERWENT;	2002/07/25
-	2	6067107.pn. and (download\$3 or sav\$3 or stor\$3)	IBM_TDB USPAT; DERWENT;	2002/07/25
-	105	725/48,49,54.ccls.	IBM_TDB USPAT; US-PGPUB;	2003/01/08 15:59
	41	725/48,49,54.ccls. and interactive	EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/01/08
	71	723/10,19,31.ccis. and interactive	US-PGPUB; EPO; JPO; DERWENT;	16:00
-	33	(725/48,49,54.ccls. and interactive) and (@ad<=19990802 or @rlad<=19990802)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/08 16:29
-	221	348/722.ccls. and (@ad<=19990802 or @rlad<=19990802)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/10 20:06
-	25	348/722.ccls. and (@ad<=19990802 or @rlad<=19990802) and interactive	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/08 18:27
-	2	5635978.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/09 10:33
-	6285	(709/217-234).ccls. and (@ad<=19980911 or @rlad<=19980911)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/09 11:25
-	35	((709/217-234).ccls. and (@ad<=19980911 or @rlad<=19980911)) and ((detect\$3 or determin\$5) near3 (format or capabilit\$3 or 'media player' or form) near3	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/09 11:08
-	433	(receiver or computer or 'reception device' or player or playback)) 725/114,116,117,93,138,144,146,147.ccls. and inter\$lactive	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/09 11:20
-	. 260	(725/114,116,117,93,138,144,146,147.ccls. and inter\$1active) and ((conver\$5 or transform\$3 or edit\$3 or chang\$3)same (format\$3 or capabili\$3 or configur\$5))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/09 11:24
-	207	(725/114,116,117,93,138,144,146,147.ccls. and inter\$lactive) and ((conver\$5 or transform\$3 or edit\$3 or chang\$3)with (format\$3 or capabili\$3 or configur\$5))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/09 11:25
-	29	725/\$.ccls. and ((detect\$3 or determin\$5) near3 (format or capabilit\$3 or 'media player' or form) near3 ((receiver or computer or 'reception device' or player or playback or ('set top' near2 (box or terminal or device or unit)) or STB or STU)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 11:25

Search History

·				
-	179	((725/114,116,117,93,138,144,146,147.ccls.	USPAT;	2003/01/09
		and inter\$1active) and ((conver\$5 or	US-PGPUB;	11:47
		transform\$3 or edit\$3 or chang\$3)with	EPO; JPO;	
ļ		(format\$3 or capabili\$3 or configur\$5)))	DERWENT;	
		and (@ad<=19980911 or @rlad<=19980911)	IBM TDB	
_	174		USPAT;	2003/01/10
	1 */*	7037320,323.0013.	US-PGPUB;	16:21
				10.21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	201656	_ ,	USPAT;	2003/01/10
		or chang\$3)same (format\$4 or form\$1 same	DERWENT;	16:30
	1	conform\$3 or compatible)	IBM TDB	
-	53	709/320,329.ccls. and ((convert\$3 or	USPAT;	2003/01/10
		transform\$3 or translat\$3 or chang\$3) same	DERWENT;	16:30
		(format\$4 or form\$1 same conform\$3 or	IBM TDB	l i
		compatible))	12100	
1_	751	717/136,168-178.ccls.	USPAT;	2003/01/10
	'31	7177130,100-170.0013.		16:31
			DERWENT;	10:21
	1.5-	//	IBM_TDB	
-	197	((convert\$3 or transform\$3 or translat\$3	USPAT;	2003/01/10
		or chang\$3)same (format\$4 or form\$1 same	DERWENT;	16:31
	1	conform\$3 or compatible)) and	IBM_TDB	
1		717/136,168-178.ccls.		
-	249	(709/320,329.ccls. and ((convert\$3 or	USPAT;	2003/01/10
	1	transform\$3 or translat\$3 or chang\$3) same	DERWENT;	16:31
1		(format\$4 or form\$1 same conform\$3 or	IBM TDB	
1		compatible))) or (((convert\$3 or		
		transform\$3 or translat\$3 or chang\$3) same		
		(format\$4 or form\$1 same conform\$3 or		
	100	compatible)) and 717/136,168-178.ccls.)	****	0000/01/10
_	192		USPAT;	2003/01/10
1		transform\$3 or translat\$3 or chang\$3)same	DERWENT;	16:32
		(format\$4 or form\$1 same conform\$3 or	IBM_TDB	
		compatible))) or (((convert\$3 or	_	
		transform\$3 or translat\$3 or chang\$3)same		
		(format\$4 or form\$1 same conform\$3 or		
		compatible)) and 717/136,168-178.ccls.))		
		and (@ad<=19980911 or @rlad<=19980911)		
1_	303	vanderp\$.xa.	USPAT;	2003/01/10
	303	Validelpy.xa.		
			US-PGPUB;	20:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15	("5204861" "5278972" "5351237"	USPAT	2003/01/10
		"5483527" "5521914" "5604737"		19:58
		"5724355" "5907610" "5915001"		
1		"5930250" "6023499" "6067350"		
1		"6144670" "6195357" "6198738").PN.		
_	n	multiprotocol adj1 converter	USPAT;	2003/01/10
			US-PGPUB;	20:03
				20.03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	multiprotocol adj1 conversion	USPAT;	2003/01/10
ì			US-PGPUB;	20:03
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3	multi-protocol adj1 conversion	USPAT;	2003/01/10
			US-PGPUB;	20:05
			EPO; JPO;	20.00
			DERWENT;	
			IBM_TDB	/
-	2	multi-protocol adj1 converter	USPAT;	2003/01/10
			US-PGPUB;	20:05
			EPO; JPO;	
1			DERWENT;	
, ,	1		IBM TDB	
1				

•				
-	20	multi\$1protocol near2 conver\$5	USPAT; US-PGPUB; EPO; JPO;	2003/01/10 20:06
:	**************************************		DERWENT; IBM_TDB	
-	16	(multi\$1protocol near2 conver\$5) and (@ad<=19980911 or @rlad<=19980911)	USPAT; US-PGPUB; EPO; JPO;	2003/01/10 20:32
-	388	(inter\$lactive near2 (software\$1 or	DERWENT; IBM_TDB USPAT;	2003/01/10
		<pre>program\$1 or application\$1 or module\$1)) with (component\$1 or element\$1)</pre>	US-PGPUB; EPO; JPO; DERWENT;	20:30
-	225	<pre>(inter\$1active near2 (software\$1 or program\$1 or application\$1 or module\$1)) near6 (component\$1 or element\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/10 20:31
-	158	<pre>(inter\$1active near2 (software\$1 or program\$1 or application\$1 or module\$1)) near3 (component\$1 or element\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/10 20:31
-	117	<pre>(inter\$1active near2 (software\$1 or program\$1 or application\$1 or module\$1)) near2 (component\$1 or element\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/10 20:40
_	73	((inter\$1active near2 (software\$1 or program\$1 or application\$1 or module\$1)) near2 (component\$1 or element\$1)) and (@ad<=19980911)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/10 20:41
_	38	(inter\$1active near2 application\$1 near3 (components or elements))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/10 20:41
-	17	((inter\$1active near2 application\$1 near3 (components or elements))) and (@ad<=19980911 or @rlad<=19980911)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/10 20:41
_	545	((interrogat\$5 or examin\$3 or determin\$3) with capabilit\$4 with application\$3)	USPAT; DERWENT; IBM TDB	2003/01/12 18:35
-	18	<pre>((interrogat\$5 or examin\$3 or determin\$3) with capabilit\$4 with application\$3) with (CPU or processor\$1)</pre>	USPAT; DERWENT; IBM_TDB	2003/01/12 18:35
-	13	<pre>(((interrogat\$5 or examin\$3 or determin\$3) with capabilit\$4 with application\$3) with (CPU or processor\$1))</pre>	USPAT; DERWENT; IBM_TDB	2003/01/12 18:39
-	1433	and (@ad<=19980911 or @rlad<=19980911) (interrogat\$4 near5 processor\$1) and (@ad<=19980911 or @rlad<=19980911)	USPAT; DERWENT;	2003/01/12 18:39
-	17	((interrogat\$4 near5 processor\$1)with capabilit\$3) and (@ad<=19980911 or @rlad<=19980911)	IBM_TDB USPAT; DERWENT; IBM TDB	2003/01/13 10:18
_	517	((substitut\$3 or replac\$3) with interactive) and (@ad<=19980911 or @rlad<=19980911)	USPAT; DERWENT; IBM TDB	2003/01/13 10:19
-	140	·	USPAT; DERWENT; IBM TDB	2003/01/13 10:19
-	6	· ·	USPAT; DERWENT; IBM_TDB	2003/01/13 10:36

	0	(bit near2 map\$1) with sound\$1 with file\$1	USPAT;	2003/01/13
		with instruction\$1 with chip\$1	DERWENT;	10:37
		_	IBM TDB	
-	4	(interactive with (video near2 chip\$1))	USPĀT;	2003/01/13
Ì			DERWENT;	10:39
			IBM TDB	-
l _	78	(application\$1 with (video near2	USPAT;	2003/01/13
		chip\$1))	DERWENT;	11:21
			IBM TDB	
1_	23	((application\$1 with (video near2	USPAT;	2003/01/13
	23	chip\$1))) and (sound\$1)	DERWENT;	10:40
İ		Chippi/// and (Sounder)	IBM TDB	10.10
1_	1	((application\$1 with (video near2	USPAT;	2003/01/13
-	_	chip\$1))) with (sound\$1)	DERWENT;	10:40
1		Chipsi)) with (Soundsi)	1	10:40
		//1:	IBM_TDB	2002/01/12
-	0	((application\$1 with (video near2	USPAT;	2003/01/13
1		chip\$1))) with (bit)	DERWENT;	10:40
1		(#6460505#)	IBM_TDB	0000 (01 (10
-	2	("6463585").pn.	USPAT;	2003/01/13
			DERWENT;	11:22
			IBM_TDB	
-	5	("5576755" "5666645" "5635978" "5619249"	USPAT	2003/01/13
		"6496981").pn.		11:23